MahSing
PLASTICS

Edition 2020



Innovating for tomorrow

MANAGEMENT SYSTEM CERTIFICATION
DNV·GL
ISO 9001 · ISO 14001

The
RIGHT CHOICE
For every Industry

Made for Quality

- Clean and Hygienic
- No absorption of water
- Resistant to moisture and fungi
- Free from screws, nails and wood splitters
- Pest free
- Consistent dimension, tare weight and quality
- Do not rot, corrode or degrade

Comply To Requirements

- Quality Management System ISO 9001
- Environment Management System ISO 14001
- Food Safety GM P, HACCP and ISO 22001
- ISPM-15 compliant
- Health and Safety OSHAS 18001

Cost Saving

- Light weight
- No fumigation
- Zero maintenance
- High durability

Environmentally Friendly

- Reduce
- Reuse
- Recyclable

Creating a More Sustainable Future

REDUCE

Less energy consumption
Less greenhouse gases emitted
during production

RECYCLE

Back in to pallets
or other items

REUSE

up to 500X

SAY NO

TO DEFORESTATION

Pallet test standards & references

Made and tested to International Standards.

The following standards and references are used in developing test methods & specification for the pallets.

ISO 8611
Pallets for materials handling - Flat pallets.

JIS Z 0602
Test Methods for flat Pallets.

ASTM D1185 - 98a
Standard Test Methods for Pallets & Related Structures Employed in Material Handling and Shipping.



Warehouse series

SPECIAL FEATURES

- Washable
- Recyclable
- Anti Slip
- Durable & Reliable
- Easy Handling

- **E-TYPE** (3 runner)
- **N-TYPE** (Non-reversible double deck, Window)

EN2-0806



Dimension (mm)	Material	Type	
800 x 600 x 130	HDPE / PPC	Non-Reversible	2-way
Static	**Dynamic**	**Racking**	2-way
1500 kg	700 kg	700 kg*	2-way

EN2-1006



Dimension (mm)	Material	Type	
1000 x 600 x 130	HDPE / PPC	Non-Reversible	2-way
Static	**Dynamic**	**Racking**	2-way
2000 kg	1000 kg	1000 kg*	2-way

EN2-1206



Dimension (mm)	Material	Type	
1200 x 600 x 130	HDPE / PPC	Non-Reversible	2-way
Static	**Dynamic**	**Racking**	2-way
2000 kg	1000 kg	1000 kg*	2-way

EN4-1111



Dimension (mm)	Material	Type	
1100 x 1100 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	1000 kg*	2-way

EN4-116116



Dimension (mm)	Material	Type	
1160 x 1160 x 160	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
5000 kg	1500 kg	1500 kg*	2-way

EN4-1208



Dimension (mm)	Material	Type	
1200 x 800 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	500 kg*	N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

EN4-1210



Dimension (mm)	Material	Type	
1200 x 1000 x 160	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	1000 kg*	2-way

EN4-1210-3



Dimension (mm)	Material	Type	
1200 x 1000 x 160	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	600 kg*	2-way

EN4-1211



Dimension (mm)	Material	Type	
1200 x 1100 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	1000 kg*	2-way

EN4-1212



Dimension (mm)	Material	Type	
1200 x 1200 x 160	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	1000 kg*	2-way

EN4-122122



Dimension (mm)	Material	Type	
1220 x 1220 x 160	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
5000 kg	1500 kg	1500 kg*	2-way

EN4-1311-2



Dimension (mm)	Material	Type	
1300 x 1100 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	1000 kg*	2-way

EN4-1313



Dimension (mm)	Material	Type	
1300 x 1300 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	1000 kg*	2-way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

N4-1111



Dimension (mm)	Material	Type
1100 x 1100 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

N4-1111LA



Dimension (mm)	Material	Type
1100 x 1100 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
3000 kg	1000 kg	300 kg*

4-way
4-way
N.A

N4-1210



Dimension (mm)	Material	Type
1200 x 1000 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

N4-1210-2



Dimension (mm)	Material	Type
1200 x 1000 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
5000 kg	1500 kg	1200 kg*

4-way
4-way
N.A

N4-1210LA



Dimension (mm)	Material	Type
1200 x 1000 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	600 kg*

4-way
4-way
N.A

N4-1210LA2



Dimension (mm)	Material	Type
1200 x 1000 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
3000 kg	1000 kg	300 kg*

N4-1211



Dimension (mm)	Material	Type
1200 x 1100 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

N4-1212



Dimension (mm)	Material	Type	
1200 x 1200 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	1000 kg*	N.A

N4-1212-2



Dimension (mm)	Material	Type	
1200 x 1200 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
5000 kg	1500 kg	1200 kg*	N.A

N4-1311-2



Dimension (mm)	Material	Type	
1300 x 1100 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	700 kg*	N.A

N4-4840LA



Dimension (mm)	Material	Type	
1220 x 1016 x 140	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
4000 kg	1000 kg	500 kg*	N.A

R-TYPE – SPECIAL FEATURES

- Washable
- Recyclable
- Anti Slip
- Durable & Reliable
- Double Deck Boards
- Reversible

R4-1311-2



Dimension (mm)	Material	Type	
1300 x 1100 x 150	HDPE / PPC	Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
5000 kg	2000 kg	1200 kg*	N.A

R4-1411



Dimension (mm)	Material	Type	
1400 x 1100 x 150	HDPE / PPC	Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
5000 kg	1200 kg	1000 kg*	N.A

R4-1512



Dimension (mm)	Material	Type	
1500 x 1200 x 150	HDPE / PPC	Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
6000 kg	2000 kg	1200 kg*	N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WR2-1210



Dimension (mm)	Material	Type	
1200 x 1000 x 150	HDPE	Reversible	4-way
Static	**Dynamic**	**Racking**	
6000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1212



Dimension (mm)	Material	Type	
1200 x 1200 x 150	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
6000 kg	2000kg	2000 kg*	N.A / N.A

WR2-1510



Dimension (mm)	Material	Type	
1500 x 1000 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
6000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1513



Dimension (mm)	Material	Type	
1500 x 1300 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
6000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1515



Dimension (mm)	Material	Type	
1500 x 1500 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
6000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1612



Dimension (mm)	Material	Type	
1600 x 1200 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
8000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1614



Dimension (mm)	Material	Type	
1600 x 1400 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
8000 kg	2000 kg	2000 kg*	N.A / N.A

WR2-1616



Dimension (mm)	Material	Type	
1600 x 1600 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	
8000 kg	2000 kg	2000 kg*	N.A / N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WR2-1812



Dimension (mm)	Material	Type	
1800 x 1200 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	2000 kg*	N.A

WR2-1812-2



Dimension (mm)	Material	Type	
1800 x 1200 x 100	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	2000 kg*	N.A

WR2-1814



Dimension (mm)	Material	Type	
1800 x 1400 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	2000 kg*	N.A

WR2-1815



Dimension (mm)	Material	Type	
1800 x 1500 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	2000 kg*	N.A

WR2-1816



Dimension (mm)	Material	Type	
1800 x 1600 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
10000 kg	2500 kg	2000 kg*	N.A

WR4-1210



Dimension (mm)	Material	Type	
1200 x 1000 x 150	HDPE	Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
6000 kg	2000kg	1200 kg*	N.A

WR4-1212



Dimension (mm)	Material	Type	
1200 x 1200 x 150	HDPE	Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
6000 kg	2000 kg	1200 kg*	N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

Hygiene series

SPECIAL FEATURES

- Flat & Smooth Top Surface
- Hygienic
- Easy to wash
- Recyclable

APPLICATIONS

- Excellent for Hazard Analysis Critical Control Point (HACCP) & Good Manufacturing Practices (GMP) environment
- Suitable for Paper & Printing, Food & Beverage, Chemical & Pharmaceutical industries etc

SFH-1210



Dimension (mm)	Material	Type	
1200 x 1000 x 120	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
3000 kg	1000 kg	N.A	4-way

SFH-1210AS



Dimension (mm)	Material	Type	
1200 x 1000 x 120	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
3000 kg	1000 kg	N.A	4-way

RP9LN4-1210FM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 160	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
3000 kg	1000 kg	N.A	4-way

EN4-1197



Dimension (mm)	Material	Type	
1120 x 970 x 150	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	700 kg*	2-way

EN4-1210F



Dimension (mm)	Material	Type	
1200 x 1000 x 165	HDPE/PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
5000 kg	1000 kg	1000 kg*	2-way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WEN2-1111



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN2-1111AS



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN2-1210



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN2-1210AS



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN2-1212



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN2-1212AS



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
2-way

WEN4-1108



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000kg	1000 kg*

4-way
4-way
2-way

WEN4-1108AS



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
4-way
2-way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WEN4-1111



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

WEN4-1111AS



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

WEN4-1210



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

WEN4-1210AS



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

WEN4-1212



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

WEN4-1212AS



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
2-way

PWEN4-1208M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 800 x 150	PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1500 kg	1000 kg*

4-way
4-way
2-way

PWEN4-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 150	PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1500 kg	1000 kg*

4-way
4-way
2-way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

RPEN2-1012FM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1000 x 1200 x 160	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1500 kg	1500 kg*

2-way
2-way
2-way

RPEN2-1210FML

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 160	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1500 kg	1500 kg*

2-way
2-way
2-way

RPEN2-1210FM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 160	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1500 kg	1500 kg*

2-way
2-way
2-way

N4-1197



Dimension (mm)	Material	Type
1120 x 970 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	700 kg*

4-way
4-way
N.A

WN2-1111



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-1111AS



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-116116



Dimension (mm)	Material	Type
1165 x 1165 x 153	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-116116AS



Dimension (mm)	Material	Type
1165 x 1165 x 153	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WN2-1210



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-1210AS



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-1212



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN2-1212AS



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg*

4-way
2-way
N.A

WN4-1108



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

WN4-1108AS



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
4000 kg	1000kg	1000 kg*

4-way
4-way
N.A

WN4-1111



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

WN4-1111AS



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WN4-1210



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

WN4-1210AS



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

WN4-1212



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

WN4-1212AS



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
4-way
N.A

WN4-1311



Dimension (mm)	Material	Type
1300 x 1100 x 150	HDPE	Non-Reversible

Static	Dynamic	Racking
5000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

WN4-1311AS



Dimension (mm)	Material	Type
1300 x 1100 x 150	HDPE	Non-Reversible

Static	Dynamic	Racking
5000 kg	1000 kg	1000 kg*

4-way
4-way
N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

WRF4-1108



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
N.A
N.A

WRF4-1108AS



Dimension (mm)	Material	Type
1120 x 820 x 163	HDPE	Reversible

Static	Dynamic	Racking
4000 kg	1000 kg	1000 kg*

4-way
N.A
N.A

WRF4-1111



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

WRF4-1111AS



Dimension (mm)	Material	Type
1120 x 1120 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

WRF4-1210



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

WRF4-1210AS



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

WRF4-1212



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

WRF4-1212AS



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Reversible

Static	Dynamic	Racking
6000 kg	1200 kg	1200 kg*

4-way
N.A
N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

(Automatic Storage Retrieval System) ASRS & Metal Reinforced series

SPECIAL FEATURES

- Grille / Flat Smooth Top Surface
- Durable & Reliable
- Reinforced with Metal Bar
- Cap & Lock Pin System
- Recyclable

APPLICATIONS

- Excellent for Automatic Storage Retrieval System (ASRS) / Drive-In Rack
- Suitable for Electronic & Electrical, Food & Beverage, Oleo Chemical industries etc

EN4-1208M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 800 x 150	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1200 kg

4-way
2-way
2-way

EN4-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 160	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500kg	1500 kg

4-way
2-way
2-way

EN4-1210-3M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 160	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1200 kg

4-way
2-way
2-way

EN4-1210FM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 165	HDPE/PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg

4-way
4-way
2-way

EN4-1212M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1200 x 160	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500kg	1500 kg

4-way
2-way
2-way

EN4-1313M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1300 x 1300 x 150	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1200 kg

4-way
2-way
2-way

WEN2-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
6000 kg	1500 kg	1500 kg	2-way

WEN2-1210ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
6000 kg	1500 kg	1500 kg	2-way

WEN2-1212M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1200 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
6000 kg	1500 kg	1500 kg	2-way

WEN2-1212ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1200 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
6000 kg	1500 kg	1500 kg	2-way

WEN4-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
6000 kg	1500 kg	1200 kg	2-way

WEN4-1210ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE / PPC	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	4-way
6000 kg	1500 kg	1200 kg	2-way

WN2-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	N.A
6000 kg	1500 kg	1500 kg	N.A

WN2-1210ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1200 x 1000 x 163	HDPE	Non-Reversible	4-way
Static	**Dynamic**	**Racking**	2-way
6000 kg	1500 kg	1500 kg	N.A

WN2-1212M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg

4-way
2-way
N.A

WN2-1212ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1200 x 163	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg

4-way
2-way
N.A

WN4-1210M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1200 kg

4-way
4-way
N.A

WN4-1210ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1200 x 1000 x 163	HDPE / PPC	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1200 kg

4-way
4-way
N.A

WN4-1311M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1300 x 1100 x 150	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg

4-way
4-way
N.A

WN4-1311ASM

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type
1300 x 1100 x 150	HDPE	Non-Reversible

Static	Dynamic	Racking
6000 kg	1500 kg	1500 kg

4-way
4-way
N.A

WR2-1510M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1500 x 1000 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	1500 kg	N.A

WR2-1513M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1500 x 1300 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	1500 kg	N.A

WR2-1515M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1500 x 1500 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	1500 kg	N.A

WR2-1812M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1800 x 1200 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	1500 kg	N.A

WR2-1814M

REINFORCED WITH HIGH TENSILE STEEL METAL BAR



Dimension (mm)	Material	Type	
1800 x 1400 x 153	HDPE	Reversible	2-way
Static	**Dynamic**	**Racking**	N.A
8000 kg	2000 kg	1500 kg	N.A

Spill Containment Series

SPECIAL FEATURES

- Quality engineered with a robust design to withstand the toughest environment for Superior Spill Protection, containment/control

APPLICATIONS

- Suitable for Storage drums and pails (of liquids)
- Environment Protection Act (EPA), Spill Prevention Control and Countermeasure Rules (SPCC), National Pollutant Discharge Elimination System (NPDES) and ISO 14001 compliant

RSPEN2-1313-250



Dimension (mm)	Material	Sump Capasity	
1350 x 1350 x 300	MDPE	250 Litre	2-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1500 kg	1000 kg	2-way

RSPEN2-1313-525



Dimension (mm)	Material	Sump Capasity	
1300 x 1300 x 575	LLDPE	525 Litre	2-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1500kg	1000 kg	2-way

Foldable Pallet Box series

SPECIAL FEATURES

- Foldable
- Durable
- Save Storage Space
- Washable
- Recyclable

APPLICATIONS

- For Bulk Material handling
- Suitable for Agricultural, Food & Beverage, Wholesale Distribution, Automotive Industries etc

FLCA-1210A



Dimension Ext.(mm)	Dimension Int.(mm)	Material	
1200 x 1000 x 975	1110 x 910 x 790	HDPE	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	500 kg	2-way

FLCA-1210D



Dimension Ext.(mm)	Dimension Int.(mm)	Material	
1200 x 1000 x 1000	1117 x 918 x 865	HDPE	4-way
Static	**Dynamic**	**Racking**	2-way
4000 kg	1000 kg	500 kg	2-way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

Top Frame series

SPECIAL FEATURES

- Customized lengths
- Replaceable components
- Ability to stack and interlock

APPLICATIONS

- Protect the products during storage and transport by utilizing Full Pallet Load
- Facilitate stacking and enhance load stability
- Suitable for Beverage Packaging Product, Aluminium & Steel Can, Glass & Plastic Bottle and other Rigid Packaging

TFE-1111



Dimension (mm)	Material	Type	
1100x 1100 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

TFE-1210



Dimension (mm)	Material	Type	
1200 x 1000 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

TFE-4840



Dimension (mm)	Material	Type	
1220 x 1016 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

TFE-1211



Dimension (mm)	Material	Type	
1200 x 1100 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

TFE-1411



Dimension (mm)	Material	Type	
1410x 1110 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

TFE-5644



Dimension (mm)	Material	Type	
1422 x 1118 x 25	PP & ABS	N.A	N.A
Static	Dynamic	Racking	N.A
N.A	N.A	N.A	

* Based on Selective Racking with Uniformly Distributed Load (UDL)

Pallet Model Specifications

WAREHOUSE series

Model	Type	Length (mm)	Width (mm)	Height (mm)	Entry Height	Static (kg)	Dynamic (kg)	Racking (kg)			
EN2-0806	Non-Reversible	800	600	130	80/110	1500	700	700*	2 way	2 way	2 way
EN2-1006	Non-Reversible	1000	600	130	102	2000	1000	1000*	2 way	2 way	2 way
EN2-1206	Non-Reversible	1200	600	130	102	2000	1000	1000*	2 way	2 way	2 way
EN4-1111	Non-Reversible	1100	1100	150	90/115	4000	1000	1000*	4 way	4 way	2 way
EN4-116116	Non-Reversible	1160	1160	160	45/120	5000	1500	1500*	4 way	2 way	2 way
EN4-1208	Non-Reversible	1200	800	150	80/110	4000	1000	500*	4 way	4 way	N.A
EN4-1210	Non-Reversible	1200	1000	160	70/115	4000	1000	1000*	4 way	2 way	2 way
EN4-1210-3	Non-Reversible	1200	1000	160	70/115	4000	1000	600*	4 way	2 way	2 way
EN4-1211	Non-Reversible	1200	1100	150	90/115	4000	1000	1000*	4 way	4 way	2 way
EN4-1212	Non-Reversible	1200	1200	160	70/115	4000	1000	1000*	4 way	2 way	2 way
EN4-122122	Non-Reversible	1220	1220	160	45/120	5000	1500	1500*	4 way	2 way	2 way
EN4-1311-2	Non-Reversible	1300	1100	150	80/115	4000	1000	1000*	4 way	2 way	2 way
EN4-1313	Non-Reversible	1300	1300	150	80/110	4000	1000	1000*	4 way	2 way	2 way
N4-1111	Non-Reversible	1100	1100	150	90	4000	1000	1000*	4 way	4 way	N.A
N4-1111LA	Non-Reversible	1100	1100	150	90	3000	1000	600*	4 way	4 way	N.A
N4-1210	Non-Reversible	1200	1000	150	90	4000	1000	1000*	4 way	4 way	N.A
N4-1210-2	Non-Reversible	1200	1000	150	90	5000	1500	1200*	4 way	4 way	N.A
N4-1210LA	Non-Reversible	1200	1000	150	90	4000	1000	600*	4 way	4 way	N.A
N4-1210LA2	Non-Reversible	1200	1000	150	90	3000	1000	600*	4 way	4 way	N.A
N4-1211	Non-Reversible	1200	1100	150	90	4000	1000	1000*	4 way	4 way	N.A
N4-1212	Non-Reversible	1200	1200	150	90	4000	1000	1000*	4 way	4 way	N.A
N4-1212-2	Non-Reversible	1200	1200	150	90	5000	1500	1200*	4 way	4 way	N.A
N4-1311-2	Non-Reversible	1300	1100	150	90	4000	1000	700*	4 way	4 way	N.A
N4-4810LA	Non-Reversible	1220	1016	140	90	4000	1000	500*	4 way	4 way	N.A
R4-1311-2	Reversible	1300	1100	150	80	5000	2000	1200*	4 way	N.A	N.A
R4-1411	Reversible	1400	1100	150	80	5000	1200	1000*	4 way	N.A	N.A
R4-1512	Reversible	1500	1200	150	80	6000	2000	1200*	4 way	N.A	N.A
WR2-1210	Reversible	1200	1000	150	80	6000	2000	2000*	4 way	N.A	N.A
WR2-1212	Reversible	1200	1200	150	80	6000	2000	2000*	4 way	N.A	N.A
WR2-1510	Reversible	1500	1000	153	83	6000	2000	2000*	2 way	N.A	N.A
WR2-1513	Reversible	1500	1300	153	83	6000	2000	2000*	2 way	N.A	N.A
WR2-1515	Reversible	1500	1500	153	83	6000	2000	2000*	2 way	N.A	N.A
WR2-1612	Reversible	1600	1200	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1614	Reversible	1600	1400	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1616	Reversible	1600	1600	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1812	Reversible	1800	1200	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1812-2	Reversible	1800	1200	100	30	8000	2000	2000*	2 way	N.A	N.A
WR2-1814	Reversible	1800	1400	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1815	Reversible	1800	1500	153	83	8000	2000	2000*	2 way	N.A	N.A
WR2-1816	Reversible	1800	1600	153	83	10000	2500	2000*	2 way	N.A	N.A
WR4-1210	Reversible	1200	1000	150	80	6000	2000	1200*	4 way	N.A	N.A
WR4-1212	Reversible	1200	1200	150	80	6000	2000	1200*	4 way	N.A	N.A

SPILL CONTAINMENT series

Model	Type	Length (mm)	Width (mm)	Height (mm)	Entry Height	Static (kg)	Dynamic (kg)	Racking (kg)			
RSPEN2-1313-250	Non-Reversible	1350	1350	300	90	4000	1500	1000	2 way	2 way	2 way
RSPEN2-1313-525	Non-Reversible	1300	1300	575	160	4000	1500	1000	2 way	2 way	2 way

FOLDABLE PALLET BOX series

Model	Type	Length (mm)	Width (mm)	Height (mm)	Entry Height	Static (kg)	Dynamic (kg)	Racking (kg)			
FLCA-1210A	Non-Reversible	1200	1000	975	80/125	4000	1000	500	4 way	2 way	2 way
FLCA-1210D	Non-Reversible	1200	1000	1000	65/89	4000	1000	500	4 way	2 way	2 way

* Based on Selective Racking with Uniformly Distributed Load (UDL)

Pallet Model Specifications

HYGIENE series

Model	Type	Length (mm)	Width (mm)	Height (mm)	Entry Height	Static (kg)	Dynamic (kg)	Racking (kg)			
SFH-1210/SFH-1210AS	Non-Reversible	1200	1000	120	88	3000	1000	N.A	4 way	4 way	4 way
RP9LN4-1210FM	Non-Reversible	1200	1000	160	100	3000	1000	N.A	4 way	4 way	4 way
EN4-1197	Non-Reversible	1120	970	150	78/110	4000	1000	700*	4 way	2 way	2 way
EN4-1210F	Non-Reversible	1200	1000	165	98/127	5000	1000	1000*	4 way	4 way	2 way
WEN2-1111/WEN2-1111AS	Non-Reversible	1120	1120	163	63/123	5000	1500	1500*	4 way	2 way	2 way
WEN2-1210/WEN2-1210AS	Non-Reversible	1200	1000	163	63/163	6000	1500	1500*	4 way	2 way	2 way
WEN2-1212/WEN2-1212AS	Non-Reversible	1200	1200	163	63/123	6000	1500	1500*	4 way	2 way	2 way
WEN4-1108/WEN4-1108AS	Non-Reversible	1120	820	163	93/123	4000	1000	1000*	4 way	4 way	2 way
WEN4-1111/WEN4-1111AS	Non-Reversible	1120	1120	163	93/123	6000	1200	1200*	4 way	4 way	2 way
WEN4-1210/WEN4-1210AS	Non-Reversible	1200	1000	163	93/123	6000	1200	1200*	4 way	4 way	2 way
WEN4-1212/WEN4-1212AS	Non-Reversible	1200	1200	163	93/123	6000	1200	1200*	4 way	4 way	2 way
PWEN4-1208M	Non-Reversible	1200	800	150	90/93	4000	1500	1000*	4 way	4 way	2 way
PWEN4-1210M	Non-Reversible	1200	1000	150	90/93	4000	1500	1000*	2 way	4 way	2 way
RPEN2-1012FM	Non-Reversible	1000	1200	160	110	4000	1500	1500*	2 way	2 way	2 way
RPEN2-1210FML	Non-Reversible	1200	1000	160	110	4000	1500	1500*	2 way	2 way	2 way
RPEN2-1210FM	Non-Reversible	1200	1000	160	110	4000	1500	1500*	2 way	2 way	2 way
N4-1197	Non-Reversible	1120	970	150	93	4000	1000	700*	4 way	4 way	N.A
WN2-1111/WN2-1111AS	Non-Reversible	1120	1120	163	63/93	6000	1500	1500*	4 way	2 way	N.A
WN2-116116/WN2-116116AS	Non-Reversible	1165	1165	153	98	6000	1500	1500*	4 way	2 way	N.A
WN2-1210/WN2-1210AS	Non-Reversible	1200	1000	163	63/93	6000	1500	1500*	4 way	2 way	N.A
WN2-1212/WN2-1212AS	Non-Reversible	1200	1200	163	63/93	6000	1500	1500*	4 way	2 way	N.A
WN4-1108/WN4-1108AS	Non-Reversible	1120	820	163	93/163	4000	1000	1000*	4 way	4 way	N.A
WN4-1111/WN4-1111AS	Non-Reversible	1120	1120	163	93/163	6000	1200	1200*	4 way	4 way	N.A
WN4-1210/WN4-1210AS	Non-Reversible	1200	1000	163	93/163	6000	1200	1200*	4 way	4 way	N.A
WN4-1212/WN4-1212AS	Non-Reversible	1200	1200	163	93/163	6000	1200	1200*	4 way	4 way	N.A
WN4-1311/WN4-1311AS	Non-Reversible	1300	1100	150	92	5000	1000	1000*	4 way	4 way	N.A
WRF4-1108/WRF4-1108AS	Reversible	1120	820	163	83/163	4000	1000	1000*	4 way	N.A	N.A
WRF4-1111/WRF4-1111AS	Reversible	1120	1120	163	83/163	6000	1200	1200*	4 way	N.A	N.A
WRF4-1210/WRF4-1210AS	Reversible	1200	1000	163	83/163	6000	1200	1200*	4 way	N.A	N.A
WRF4-1212/WRF4-1212AS	Reversible	1200	1200	163	83/163	6000	1200	1200*	4 way	N.A	N.A

ASRS & Metal Reinforced series

Model	Type	Length (mm)	Width (mm)	Height (mm)	Entry Height	Static (kg)	Dynamic (kg)	Racking (kg)			
EN4-1208M	Non-Reversible	1200	800	150	80/110	6000	1500	1200	4 way	2 way	2 way
EN4-1210M	Non-Reversible	1200	1000	160	76/120	6000	1500	1500	4 way	2 way	2 way
EN4-1210-3M	Non-Reversible	1200	1000	163	70/115	6000	1500	1200	4 way	2 way	2 way
EN4-1210FM	Non-Reversible	1200	1000	165	98/127	6000	1500	1500	4 way	4 way	2 way
EN4-1212M	Non-Reversible	1200	1200	160	76/120	6000	1500	1500	4 way	2 way	2 way
EN4-1313M	Non-Reversible	1300	1300	150	80/110	6000	1500	1200	4 way	2 way	2 way
WEN2-1210M/WEN2-1210ASM	Non-Reversible	1200	1000	163	78/123	6000	1500	1500	4 way	2 way	2 way
WEN2-1212M/WEN2-1212ASM	Non-Reversible	1200	1200	163	78/123	6000	1500	1500	4 way	2 way	2 way
WEN4-1210M/WEN4-1210ASM	Non-Reversible	1200	1000	163	93/118	6000	1500	1200	4 way	4 way	2 way
WN2-1210M/WN2-1210ASM	Non-Reversible	1200	1000	163	78/93	6000	1500	1500	4 way	2 way	N.A
WN2-1212M/WN2-1212ASM	Non-Reversible	1200	1200	163	78/93	6000	1500	1500	4 way	2 way	N.A
WN4-1210M/WN4-1210ASM	Non-Reversible	1200	1000	163	93	6000	1500	1200	4 way	4 way	N.A
WN4-1311M/WN4-1311ASM	Non-Reversible	1300	1100	150	92	6000	1500	1500	4 way	4 way	N.A
WR2-1510M	Reversible	1500	1000	153	83	8000	2000	1500	2 way	N.A	N.A
WR2-1513M	Reversible	1500	1300	153	83	8000	2000	1500	2 way	N.A	N.A
WR2-1515M	Reversible	1500	1500	153	83	8000	2000	1500	2 way	N.A	N.A
WR2-1812M	Reversible	1800	1200	153	83	8000	2000	1500	2 way	N.A	N.A
WR2-1814M	Reversible	1800	1400	153	83	8000	2000	1500	2 way	N.A	N.A

* Based on Selective Racking with Uniformly Distributed Load (UDL)

PLASTIC PALLET HANDLING GUIDE



Damage or undesireable results may occur due to improper use & handling of the pallet

1. Pallets are designed for handling, storage and transporting of goods, do not use the pallet for other than its intended purpose.
2. Do not exceed specified permitted load.
3. Be careful of slippery pallet surface when stained with liquids such as oil and grease.
4. Do not use damaged/broken/distorted pallet.
5. Do not modify or perform any post-processing such as drilling or cutting.
6. Do not keep pallet close to fire, heater or under hot sun for an extended period.
7. Do not expose pallet to corrosive chemical, acid or solvent.
8. Do not drop pallet, apply excessive impact or hit with Forklift forks/tynes.
9. Do not stack irregularly, with excessive concentrated load at the center or at one side.
10. Do not rack with pallet skids sitting across racking bar.
11. Always consult us when using the pallets in extreme cold/hot conditions, in drive-through rack, ASRS system and for special purpose. Always exercise caution when handling pallet to prevent unnecessary injury, accidents and damage.

MahSing
PLASTICS

MAH SING PLASTICS INDUSTRIES SDN. BHD. REG NO: 197901007184 (51470-T)
Lot 9, Lingkaran Sultan Mohamed 1, Kawasan Perindustrian Bandar Sultan Suleiman,
42000 Port Klang, Selangor Darul Ehsan, Malaysia.
Local Enquiries - **T: +603 3176 4931** | **F: +603 3176 1205** | **E: custcare@mahsing.com.my**
International Enquiries - **T: +603 3176 3718** | **F: +603 3176 1205** | **E: exports@mahsing.com.my**